

Rynat Model R-CH Specification Guide

Ceiling Hung Cubicle Partitioning System





Scope

Supply and Install pre-fabricated complete compartments / enclosures including doors, panels, hardware and trims

Compliance

Comply with all current Standards, Building Codes and National Codes of Compliance including but not limited to the following:

AS1428.1 Design for access and mobility

AS1428.2 Enhanced and additional requirements – Buildings and Facilities

AS1428.3 Requirements for children and adolescents with physical disabilities

NCC F2 Sanitary and other facilities

NCC F2.4 Accessible sanitary facilities

NCC F2.5 Construction of sanitary compartments

Manufacturer: Rynat Industries Australia. Contact 1300 558 518

Model: Model R-CH Rynat Ceiling Hung Cubicle Partitioning System

Materials

Door Material: 13mm Compact Laminate

Panel Material: 13mm Compact Laminate

Hardware Type: Omega Style Red and Green Indicator, Turnbolt, Staple and Bumper Quantity 3 Gravity Hinges Per Door

Coat Hooks Rubber Tipped – One coat hook per cubicle

Dimensions

Overall Height: 2400mm – 3000mm (Ceiling Height)

Overall Depth: 1500mm – 1800mm (refer to drawings)

Frontal Panels: 2400mm – 2700mm including 200mm floor clearance

Frontal Panels are bolted through a ceiling beam (provided by builder) inside the ceiling space

End Nib Panels: 2400mm – 3000mm including 200mm floor clearance

End Nib Panels are bolted through a ceiling beam (provided by builder) inside the ceiling space

WC Division Panels: 2000mm high including 200mm floor clearance

Ambulant Division Panels: 2000mm high concealed fixed directly to the floor set back 350mm from the frontal with 200mm high cut out

Shower Division Panels: 2000mm high concealed fixed directly to the floor set back 350mm from the frontal with 200mm high cut out

WC/SHR Division Panels: 2000mm high concealed fixed directly to the floor set back 350mm from the frontal with 200mm high cut out

Shower Splash Panels: 2000mm high mounted on a 200mm aluminium adjustable leg support

Shower Seats: 880mm wide x 295mm deep (approx) fixed with aluminium angle

Doors

Standard Doors: 2000mm high x 600mm wide including 200mm floor clearance

Ambulant Doors: 2000mm high x 725mm wide including 200mm floor clearance

Wall Channel: All panels are secured to the adjacent walls/division panels with Aluminium U Channel

Colours: Refer to Finishes Schedule

Fixings: 304 Grade Stainless Steel

Shop Drawings: Provide detailed Shop Drawings for the Superintendent's approval prior to manufacture

Installation: Must comply with manufacturer's written instructions

Warranty 10 Years

Installation: Lifetime Guarantee (subject to Rynat's approved installer)

Hardware: 2 year Manufacturers Warranty



TOILETS | SHOWER CUBICLE PARTITIONING SYSTEMS
LOCKERS | BENCH SEATS | HOOK STRIPS