

## Rynat Model R-PMCF Specification Guide

Pedestal Mounted Ceiling Fixed Cubicle Partitioning System





## Scope

Supply and Install pre-fabricated complete compartments / enclosures including doors, panels, hardware and trims

## Compliance

Comply with all current Standards, Building Codes and National Codes of Compliance including but not limited to the following:

AS1428.1 Design for access and mobility

AS1428.2 Enhanced and additional requirements – Buildings and Facilities

AS1428.3 Requirements for children and adolescents with physical disabilities

NCC F2 Sanitary and other facilities

NCC F2.4 Accessible sanitary facilities

NCC F2.5 Construction of sanitary compartments

**Manufacturer:** Rynat Industries Australia. Contact 1300 558 518

**Model:** R-PMCF Rynat Pedestal Mounted Ceiling Fixed Cubicle Partitioning System

## Materials

Door Material: 13mm Compact Laminate

Panel Material: 13mm Compact Laminate

Hardware Type: Omega Style Red and Green Indicator, Turnbolt, Staple and Bumper Quantity 3 Gravity Hinges Per Door

Coat Hooks Rubber Tipped – One coat hook per cubicle

## Dimensions

Overall Height: 2400mm (Ceiling Height)

Overall Depth: 1500mm – 1800mm (refer to drawings)

Frontal Panels: 2400mm high mounted on an aluminium adjustable leg support

End Nib Panels: 2400mm high mounted on an aluminium adjustable leg support

WC Division Panels: 1900mm high including floor clearance

End Division Panels: 1900mm high including floor clearance

WC/Shower Division Panels:

1900mm high concealed fixed directly to the floor with a recessed cut out set back 300mm from the back of the frontal panel

Shower Splash Panels: 1900mm high mounted on an aluminium adjustable leg support

Shower Seats: 880mm wide x 295mm deep (approx) fixed with aluminium angle

## Doors

Standard Doors: 1900mm high x 600mm wide including floor clearance

Ambulant Doors: 1900mm high x 725mm wide including floor clearance

Wall Channel: All panels are secured to the adjacent walls/division panels with Aluminium U Channel

Overhead Rail: Continuous aluminium channel complete with aluminium snap in door inserts or ceiling channel to suit the width of the frontals only including channel caps

Colours: Refer to Finishes Schedule

Fixings: 304 Grade Stainless Steel

Shop Drawings: Provide detailed Shop Drawings for the Superintendent's approval prior to manufacture

Installation: Must comply with manufacturer's written instructions.

## Warranty 10 Years

Installation: Lifetime Guarantee (subject to Rynat's approved installer)

Hardware: 2 year Manufacturers Warranty



TOILETS | SHOWER CUBICLE PARTITIONING SYSTEMS  
LOCKERS | BENCH SEATS | HOOK STRIPS